



**Glow
Green**[®]
B I O T E C H

OUR PRODUCT

GLOW LIQVITONIC

GLOW SOIL

GLOW AGRI

GLOW FARM

(LFOM) "Organic Carbon Enhancer from Compressed Bio Gas plants"

GLOW LIQVITONIC DOSES FOR BANANA

Sr. No.	DAY	MONTH	DRENCHING PER ACRE / LTR.S	FOLIAR SPRAY/ACRE/ LTR.S (7 ml per Ltr.Water)	STAGE	REMARK
1	1st DAY	1st MONTH	15 (Mix with 600 Ltr.s Water)	0.5 (Mix with 75 Ltr.s Water)	PLANTATION	WHATEVER AGE OF THE CROP, WHEN YOU START USING LIQVITONIC, FOLLOW SCHEDULE FROM DAY 1
2	AFTER 15 DAYS		15 (Mix with 600 Ltr.s Water)	0.5 (Mix with 75 Ltr.s Water)	VEGETATIVE GROWTH	
3	AFTER 30 DAYS		15 (Mix with 600 Ltr.s Water)	0.5 (Mix with 75 Ltr.s Water)		
4	AFTER 40 DAYS	2st MONTH	10 (Mix with 600 Ltr.s Water)	0		
5	AFTER 50 DAYS		10 (Mix with 600 Ltr.s Water)	0		
6	AFTER 60 DAYS		10 (Mix with 600 Ltr.s Water)	1.5 (Mix with 225 Ltr.s Water)		
7	AFTER 70 DAYS	3st MONTH	10 (Mix with 600 Ltr.s Water)	0		
8	AFTER 80 DAYS		10 (Mix with 600 Ltr.s Water)	0		
9	AFTER 90 DAYS		10 (Mix with 600 Ltr.s Water)	1.5 (Mix with 225 Ltr.s Water)		
10	AFTER 100 DAYS	4st MONTH	10 (Mix with 600 Ltr.s Water)	0		
11	AFTER 110 DAYS		10 (Mix with 600 Ltr.s Water)	0		
12	AFTER 120 DAYS		10 (Mix with 600 Ltr.s Water)	1.5 (Mix with 225 Ltr.s Water)		
13	AFTER 130 DAYS	5st MONTH	10 (Mix with 600 Ltr.s Water)	0	FLOWERING TO FRUIT DEVELOPMENT STAGE	
14	AFTER 140 DAYS		10 (Mix with 600 Ltr.s Water)	0		
15	AFTER 150 DAYS		10 (Mix with 600 Ltr.s Water)	1.5 (Mix with 225 Ltr.s Water)		
16	AFTER 160 DAYS	6st MONTH	10 (Mix with 600 Ltr.s Water)	0		
17	AFTER 170 DAYS		10 (Mix with 600 Ltr.s Water)	0		
18	AFTER 180 DAYS		10 (Mix with 600 Ltr.s Water)	0		
	TOTAL		195 LTR.s	7.5 LTR.s		

AFTER 6 MONTH , EVERY MONTH GIVE 15 LTR.s [EVERY 10 DAYS, 5 LTR.s] TILL CROP CONTINUES

- IF CONTAINER FOUND TIGHT WITH THE GAS, PLEASE REMOVE THE PIN, LET THE GAS GET RELEASED, THEN OPEN THE CAP. SHAKE WELL BEFORE USE.
- IF YOU WANT TO USE LIQVITONIC WITH CHEMICAL FERTILIZER, PLEASE CUT DOWN DOSES OF CHEMICAL FERTILIZER BY 75% YOU MAY USE PESTICIDES/INSECTICIDES /FUNGICIDE AS PER YOUR REQUIREMENT.



Autho. Signatory